

- Economical & Easy To Install
- Cut & Abrasion Resistant
- Extremely Flexible And Lightweight
- Flame Retardant
- Cuts With Shears
- Excellent EMI Shielding (1 MHz To 1 GHz)




Shears

Material Aramid & Tinned Copper

Grade FSN

Monofilament Diameter .010"



* = VW-1 Sizes 1/8" - 3/4"

High Temperature Shielded Expandable Sleeving

Flexo Shield is a high performance EMI (Electromagnetic Interference) shielded, braided expandable sleeving. Flexo Shield is cut and abrasion resistant, flexible and lightweight. Our sleeving can help fulfill the requirements of the internationally recognized standard CISPR25 for frequencies ranging from 10 KHz to 1 GHz. It does this by assisting in the shielding of wires that are attached to these electronic components which require this rating. The material is also great for hose covering on hot rods and motorcycles.


With its high temperature aramid fiber cores and low angle braid, Flexo Shield can expand and contract to a limited degree to create a perfect fit. Flexo Shield braid fibers create a sleeve that provides good EMI protection and yields a material with out- standing flex-life.

Flexo Shield is great for applications where light weight and high performance are needed such as: computer systems, electronic office equipment, medical electronics, communication systems and many more. Techflex Flexo Shield is intended for high flex, high temperature, and environmentally tough applications, therefore making it appropriate for several aerospace applications.



Flexo Shield sleeving is used where light weight, high performance, high flex and high temperature are needed.

Colors Available: Silver (SV)





State of the local division of the local div



Monofilament Diameter ASTM D-204	010
Flammability Rating	UL
Recommended Cutting	Shears
Colors	1
Wall Thickness	.025
Abrasion	Low



1=No Effect	4=More Affected
2=Little Effect	5=Severely Affected
3=Affected	


Aromatic Solvents	2
Aliphatic Solvents	1
Chlorinated Solvents	3
Weak Bases	1
Salts	1
Strong Bases	
Salt Water 0-S-1926	
Hydraulic Fluid <i>MIL-H-5606</i>	1
Lube Oil <i>MIL-L-7808</i>	1
De-lcing Fluid <i>MIL-A-824</i> 3	1
Strong Acids	3
Strong Oxidants	2
Esters/Ketones	1
UV Light	1
Petroleum	1
Fungus ASTM G-21	1
RoHS	_Yes

Malt Daint	700* -	S
Melt Point <pre>ASTM D-2117</pre>	600*	IRE
449°F (232°C)	500*	TEMPERATURE.
	400*	ER
Maximum Continuous	006	EMP
Mil-I-23053 302°F (150°C)	200*	
	100* -	IN
	0.	AT
Minimum Continuous — -40°F (40°C)	-100*	OPERATING



Rating _____

UL, VW-1



© 2016 Techflex, Inc. - Any unauthorized reproduction, in whole or part, in any medium whatsoever, without the express written permission of Techflex, Inc. is strictly forbidden. Techflex product names and logos are registered trademarks of Techflex, Inc., unless otherwise attributed. The contents and illustrations contained herein are believed to be reliable. Techflex makes no warranties as to their accuracy or completeness and disclaims any liability in connection with their use. Techflex's only obligations are those in standard terms of sale for these products and Techflex will not be liable for any consequential or other damages arising due to misuse of these products or typographical errors or omissions. Users should make their own evaluation to determine the suitability of these products for their unique and specific applications. 11-15